



Appl. No. 09/354,018
Replacement Sheet




FIG.1A

```
108 ~ <form> 116 ~  
          area code: <input name = "ac"><br>  
          postal code: <input name = "pc"><br>  
110 ~ </form> 118 ~ 112 ~  
                    } 114
```

The diagram shows an HTML form structure. It starts with a opening tag 108, followed by the form content. The content includes the text "area code: <input name = "ac">
" and "postal code: <input name = "pc">
". Below the form content is a closing tag 110. Brackets 116 and 118 are placed around the first two lines of text. Brackets 112 and 114 are placed around the last two lines of text, indicating they belong to the same group or category.

FIG.1B



Appl. No. 09/354,018
Replacement Sheet




FIG.1C

```
123 ~> <form> Country: 144  
138 ~> <select name = "region"> 130  
140 ~> <option> United States </option> 142  
140 ~> <option> England </option> 132  
140 ~> <option> France </option> 142  
140 ~> <option> Germany </option> 134  
141 ~> </select> 142  
     ~> </form> 136  
125 ~>
```

A detailed code listing corresponding to the user interface in FIG.1C. The code shows an HTML form structure. It starts with a form tag (123) containing a label "Country:" (144). Inside the form is a select tag (138) with the attribute "name = 'region'" (130). The select tag contains four option tags: "United States" (142), "England" (132), "France" (142), and "Germany" (134). The entire form structure is closed with a closing form tag (136) and a closing select tag (141). A line labeled 125 points to the bottom-left corner of the code block.

FIG.1D

O I P E
DEC 15 2004
TRADEMARK OFFICE
JC88

Appl. No. 09/354,018
Replacement Sheet




FIG.1E



Appl. No. 09/354,018
Replacement Sheet




FIG.2




FIG.3